

Ref: 21-319

Freedom of Information Request

21 June 2021

By Email

Dear Sir/Madam

Thank you for your request for information under the Freedom of Information Act 2000. The Trust's response is as follows:

- We can confirm that we hold some the information you are requesting
- 1. Please can you provide the following information for each piece of MRI scanners within

the Trust or associated sites? (Please complete the attached spreadsheet)

- a. Manufacturer
- b. Model
- c. Tesla 0.5 to 1.4, 1.5, 3.0, 3.0 +
- d. Location Hospital Name or Site Name
- e. Mobile / Static
- f. Department equipment is primarily used in
- g. Method of Finance at Procurement Trust/Lease/MES/Charity/PFI
- h. Initial cost of Equipment
- i. Annual Maintenance cost
- j. Acquisition Date
- k. Planned Replacement Date

Please see the attached document

2. Please can you provide the following information for each CT scanners within the Trust

or associated sites? (Please complete the attached spreadsheet)

- a. Manufacturer
- b. Model
- c. Slices 8, 16, 64, 128, 264
- d. Location Hospital Name or Site Name
- e. Mobile / Static
- f. Department equipment is primarily used in
- g. Method of Finance at Procurement Trust/Lease/MES/Charity/PFI
- h. Initial cost of Equipment

- i. Annual Maintenance cost
- j. Acquisition Date
- k. Planned Replacement Date

Please see the attached document

- 3. Please can you provide the following information for each Ultrasound scanner within the Trust or associated sites? (Please complete the attached spreadsheet)
- a. Manufacturer
- b. Model
- c. Location Hospital Name or Site Name
- d. Department equipment is primarily used in
- e. Method of Finance at Procurement Trust/Lease/MES/Charity/PFI
- f. Initial cost of Equipment
- g. Annual Maintenance cost
- h. Acquisition Date
- i. Planned Replacement Date

To answer all the information on Ultrasound will take longer than 18 hours to complete. The Trust does not hold the data in a format that would enable us to fully respond to your request to the level of detail required and a manual trawl for this information would significantly exceed the 18 hours limit set down by the FOI as the reasonable limit. Section 12 of the FOIA provides that we are not obliged to spend in excess of 18 hours in any sixty day period locating, retrieving and identifying information in order to deal with a request for information and therefore we are withholding this information at this time.

This concludes our response. We trust that you find this helpful, but please do not hesitate to contact us directly if we can be of any further assistance.

If, after that, you are dissatisfied with the handling of your request, you have the right to ask for an internal review. Internal review requests should be submitted within two months of the date of receipt of the response to your original letter and should be addressed to:

Director of Corporate Governance
University Hospitals Bristol and Weston NHS Foundation Trust
Trust Headquarters
Marlborough Street
Bristol
BS1 3NU

Please remember to quote the reference number above in any future communications.

If you are not content with the outcome of the internal review, you have the right to apply directly to the Information Commissioner for a decision. The Information Commissioner can be contacted at: Information Commissioner's Office, Wycliffe House, Water Lane, Wilmslow, Cheshire, SK9 5AF

<u>Publication</u>

Please note that this letter and the information included/attached will be published on our website as part of the Trust's Freedom of Information Publication Log. This is because information disclosed in accordance with the Freedom of Information Act is disclosed to the public, not just to the individual making the request. We will remove any personal information (such as your name, email and so on) from any information we make public to protect your personal information.

To view the Freedom of Information Act in full please click here.

Yours sincerely

Freedom of Information Team University Hospitals Bristol and Weston NHS Foundation Trust